

# ThinkCentre M70s 11DC003HAU

**Product**

ThinkCentre M70s

**Region**

ANZ

**Country/Region**

Australia

**Machine Type**

11DC

**TopSeller**

TopSeller

**Processor**

Intel Core i7-10700 (8C / 16T, 2.9 / 4.8GHz, 16MB)

**Chipset**

Intel H470 Chipset

**Graphics**

Integrated Intel UHD Graphics 630

**Memory**

1x 8GB DDR4-2933

**Storage**

1x 256GB SSD M.2 2280 PCIe 3.0x4 NVMe Opal

**Optane Memory**

None

**Optional Bay**

None

**Front Access HDD**

None

**Optical**

DVD±RW

**Card Reader**

None

**Speakers**

1Wx1

**Ethernet**

Integrated 100/1000M

**WLAN + Bluetooth**

None

**Optional Rear Ports**

None

**Chassis Intrusion Switch**

Chassis Intrusion Switch

**Chassis E-Lock**

None

**Kensington Cable Lock**

None

**Smart Cable Clip**

None

**Dust Filter**

None

**Carry Handle**

None

**Case Color**

Black

**Stand**

None

**Keyboard**

USB Traditional Keyboard, Black, English

**Mouse**

USB Calliope Mouse

**Power Supply**

260W 85%

**Additional Certificates**

EnergyStar 8.0, EPEAT Silver, TUV Low Noise

**Monitor Cable**

None

**System Management**

None

**Operating System**

Windows 10 Pro 64, English

**Bundled Software**

None

**Base Warranty**

1-year, Onsite

**Bundled Service**

3Y Onsite upgrade from 1Y Onsite (5WS0D80967)

**EAN / UPC / JAN**

195477036574

**End of Support**

2026-12-19

**Announce Date**

2020-10-20

 [WWW.LENOVO.COM](http://WWW.LENOVO.COM)

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication “as is” without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



<https://psref.lenovo.com>

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2020. All rights reserved.



Lenovo™

# ThinkCentre M70s Platform Specifications

Product Specifications Reference (PSREF)

Processor	Intel® Celeron®, Intel Pentium®, or 10th Gen Intel Core™ i3 / i5 / i7 / i9 Processor						WLAN	<i>Some:</i> 11ac wireless, M.2 Card, Realtek RTL8822CE (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2 <i>Some:</i> 11ac wireless, M.2 Card, Intel Wireless-AC 9462 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 1x1 (special bid only) <i>Some:</i> 11ac wireless, M.2 Card, Intel Wireless-AC 9560 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, 2x2 <i>Some:</i> 11ac wireless, M.2 Card, Intel Wi-Fi 6 AX201 (dual band), Wi-Fi + Bluetooth 5.1 combo adapter, 2x2 <i>Some:</i> Bluetooth 5.0/5.1 wireless, integrated in Wi-Fi + BT combo adapter Gigabit ethernet, Intel Ethernet Connection I219-V(Jacksonville), Wake on LAN® <i>Some:</i> Intel Ethernet Server Adapter I350-T4, gigabit ethernet, 4x RJ-45, PCIe x4 <i>Some:</i> Bitland BN8E88, gigabit ethernet, 1x RJ-45, PCIe x1
	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	Bluetooth Ethernet Ethernet (Opt.)	<i>Some:</i> Bluetooth 5.0/5.1 wireless, integrated in Wi-Fi + BT combo adapter Gigabit ethernet, Intel Ethernet Connection I219-V(Jacksonville), Wake on LAN® <i>Some:</i> Intel Ethernet Server Adapter I350-T4, gigabit ethernet, 4x RJ-45, PCIe x4 <i>Some:</i> Bitland BN8E88, gigabit ethernet, 1x RJ-45, PCIe x1
	Celeron G5900	2 / 2	3.4G	2 MB	DDR4-2666	UHD 610		
	Celeron G5920	2 / 2	3.5G	2 MB	DDR4-2666	UHD 610		
	Pentium Gold G6400	2 / 4	4.0G	4 MB	DDR4-2666	UHD 610		
	Pentium Gold G6500	2 / 4	4.1G	4 MB	DDR4-2666	UHD 630		
	Pentium Gold G6600	2 / 4	4.2G	4 MB	DDR4-2666	UHD 630		
	Core i3-10100	4 / 8	3.6G / 4.3G	6 MB	DDR4-2666	UHD 630		
	Core i3-10300	4 / 8	3.7G / 4.4G	8 MB	DDR4-2666	UHD 630		
	Core i3-10320	4 / 8	3.8G / 4.6G	8 MB	DDR4-2666	UHD 630		
	Core i5-10400F	6 / 12	2.9G / 4.3G	12 MB	DDR4-2666	None		
	Core i5-10400	6 / 12	2.9G / 4.3G	12 MB	DDR4-2666	UHD 630		
	Core i5-10500	6 / 12	3.1G / 4.5G	12 MB	DDR4-2666	UHD 630		
	Core i5-10600	6 / 12	3.3G / 4.8G	12 MB	DDR4-2666	UHD 630		
	Core i7-10700F	8 / 16	2.9G / 4.8G	16 MB	DDR4-2933	None		
	Core i7-10700	8 / 16	2.9G / 4.8G	16 MB	DDR4-2933	UHD 630		
	Core i9-10900F	10 / 20	2.8G / 5.2G	20 MB	DDR4-2933	None		
	Core i9-10900	10 / 20	2.8G / 5.2G	20 MB	DDR4-2933	UHD 630		
	* Max frequency may refer to Intel Turbo Boost Technology 2.0 / Intel Turbo Boost Max Technology 3.0 / Intel Thermal Velocity Boost, and adopt the max one of them						Manageability Security chip	None Discrete TPM 2.0, TCG Certified
Memory	128GB max, DDR4-2666 / DDR4-2933*, four 288-pin DIMM sockets, dual-channel capable * Memory module is DDR4-2933, but clocks down for the limitation of processors						Security features	<ul style="list-style-type: none"> <li>Security slot (for Kensington® lock)</li> <li>Padlock loop</li> <li>Optional Smart Cable Clip to physically lock keyboard and mouse</li> <li>Optional chassis intrusion switch</li> <li>Optional chassis E-Lock</li> <li>Power-on password</li> <li>Administrator password</li> <li>Hard disk password</li> <li>Boot sequence control</li> <li>Boot without keyboard and mouse</li> <li>Individual USB port disablement</li> <li>Smart USB protection, allows keyboard/mouse only, blocks all storage devices</li> </ul>
Storage	Support up to 2x HDD ([2.5" + 3.5"] or [dual 2.5"]) and up to 1x M.2.SSD <i>Some:</i> Hard Drive / SATA 6.0Gb/s, 2.5" or 3.5", 7200 rpm <i>Some:</i> M.2 SSD (2242 / 2280) / PCIe NVMe, PCIe 3.0 x2 or PCIe 3.0 x4 <i>Some:</i> Intel Optane™ Memory M10, M.2 2280, PCIe 3.0 x2 <i>Some:</i> DVD-ROM, SATA 1.5Gb/s Drive, slim (9.0mm) <i>Some:</i> DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)						Keyboard	<i>Some:</i> Lenovo Calliope Keyboard (USB connector), black <i>Some:</i> Lenovo Traditional Keyboard (USB connector), black <i>Some:</i> Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black <i>Some:</i> Lenovo Calliope Mouse (USB connector), black <i>Some:</i> Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black <i>Some:</i> Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
Optical	Three onboard SATA 6.0Gb/s connectors Optional 3-in-1 media reader (support SD, SDHC, and SDXC)						Mouse	
Onboard SATA Media reader							Mechanical	<ul style="list-style-type: none"> <li>SFF (8.2L), black color, metal case</li> <li>Dimensins with bezel &amp; PCI holder &amp; rubber foot: (WxDxH) 3.6" X 11.7" X 13.4"; 93mm X 298mm X 340mm</li> <li>Weight (approx.): 11.7 lb (5.3 kg), weight may vary by configuration</li> </ul>
Graphics	<b>Intel UHD Graphics 610/630</b> in some processors, uses main memory, DirectX® 12, two DisplayPort™, one HDMI, supports up to 3 independent displays, more displays support via discrete graphics Max resolution: 4096x2304 (DP)@60Hz; 1920x1080 (HDMI)@60Hz <i>Some:</i> <b>AMD Radeon™ 520</b> , DirectX 12, 2GB GDDR5, PCIe 3.0 x8, 30 watts, two DisplayPort (up to 4096x2160@60Hz)						Bays	Bay 1: Slim ODD bay Bay 2: 3.5" HDD bay Bay 3: 2.5" HDD bay (optional bay, or bay comes with disk)
Monitor cable	Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle (for Collage Display with intel integrated graphics), or DP to HDMI 1.4 dongle						Slots	Slot 1: low-profile (length < 155mm, height < 68mm), PCIe 3.0 x16 Slot 2: low-profile (length < 155mm, height < 68mm), PCIe 3.0 x1 Slot 3: no slot, only bracket for optional port extension Slot 4: no slot, only bracket for optional port extension M.2 card slots: two (one for WLAN, one for SSD/Optane) Optional system floor stand for vertical orientation Toolless cover, disk, optical, extension card removal
Chipset	<b>Intel H470 Chipset</b>						Floor Stand EOU design	
Front ports* (Std.)	2x USB 3.2 Gen 2, 2x USB 3.2 Gen 1, 1x USB 3.2 Type-C Gen 1 (15W charging), 1x microphone (3.5mm), 1x headphone / microphone combo jack (3.5mm)						Power supply	<i>Some:</i> 180 watts, autosensing, 85% PSU <i>Some:</i> 260 watts, autosensing, 85% PSU <i>Some:</i> 310 watts, autosensing, 92% PSU <i>Some:</i> 380 watts, autosensing, 92% PSU * Discrete graphics card / 10-core processors need > 180w power supply
Front ports* (Opt.)	<i>Optional:</i> 3-in-1 media reader						Limited warranty	<i>Some:</i> <b>1-year, depot service</b> / service upgrades available <i>Some:</i> <b>1-year or 3-year, limited onsite service</b> / service upgrades available
Rear ports* (Std.)	4x USB 2.0, 1x serial (9-pin), 1x ethernet (RJ-45), 2x DisplayPort**, 1x HDMI**, 1x line-out (3.5mm)						Preload	<i>Some:</i> Windows® 10 Pro 64-bit <i>Some:</i> Windows 10 Home 64-bit <i>Some:</i> Windows 10 IoT Enterprise (only available via special bid model)
Rear ports* (Opt.)	<i>Optional:</i> 2x USB 3.2 Gen 1 via PCIe x1, 2x USB 3.2 Type-C Gen 2 via PCIe x4, 1x 2nd serial (9-pin), 4x serial (9-pin) via PCIe x1, 1x parallel (25-pin), 2x PS/2 ports (keyboard/mouse), additional RJ-45 and video ports available on optional graphics or ethernet card * Depending on many factors, actual data transfer speed may be lower than theoretical speed ** Only available for the models with integrated graphics						Environment	ENERGY STAR® 8.0*, EPEAT™ Gold / Silver rating (on some models), ErP Lot 3, TCO 8.0, TUV low noise / ultra low noise verified (on some models), RoHS * Only available for MT 11DB/11DC
Audio support	High Definition (HD) Audio, Realtek ALC623-CG / internal speaker (1 watt)						Accessories	For compatible accessories, please go to <a href="http://smartfind.lenovo.com">http://smartfind.lenovo.com</a>

Note: The specifications above may not be available in all regions.

Lenovo, May 2020

Lenovo

ThinkCentre M70s

