

The EB-PU2010B is a compact and versatile high brightness projector with optional interchangeable lenses and advanced installation features.

This highly versatile 10,000 lumens installation projector is sold as 'body only' and pairs seamlessly with Epson's existing lens family to deliver bright, true-to-life images in a wide variety of environments: from visitor attractions to lecture theatres, museums to meeting rooms. The high lumens EB-PU2010B offers WUXGA resolution with 4K enhancement, HDR and advanced installation features.

Superior image quality

The 10,000 lumens EB-PU2010B projects clear whites, vivid details, deep blacks, defined shadows and high contrast imagery.

Compact and lightweight

The compact size makes this projector more transportable and saves storage space, providing size and cost advantages to projector fleets. The unobtrusive design allows it to blend seamlessly into most environments. Also available in white.

Interchangeable lens support

The EB-PU2010B accommodates different lenses to suit a wide range of projection environments, including a zero-offset ultra-short-throw lens. Epson supplies the projector as 'body only', without a lens, which puts the power to build the right projection solution, for the right application, in the hands of the user.

Designed for installation agility

Produce large-scale, extremely bright displays, even as part of multi-projector installations where edge blending, stacking and lens flexibility is key. Epson Projector Professional Tool makes advanced installation techniques easy, such as projection mapping, while the optional external camera module (ELPEC01) uses built-in processing for PC-free geometry correction for stacking. The EB-PU2010B features NFC for multi-projector set up, making diagnostics and installations easier using the Epson Projector Config Tool. Also includes SDI input and output connectivity.

KEY FEATURES

- Compact and lightweight Unobtrusive and easier to transport
- Lens support Supports a wide selection of Epson interchangeable lenses
- Enhanced design Clean, simple, and discreet design. Black version.
- Image quality
 10,000 lumens, 3LCD, WUXGA
 resolution with 4K enhancement
- Advanced installation tools A range of free software tools and an optional external camera module



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

| TECHNOLOGY | | |
|---|---|--|
| Projection System | 3LCD Technology, RGB liquid crystal shutter | |
| LCD Panel | 1.03 inch with C2 Fine | |
| IMAGE | | |
| Color Light Output | 10,000 Lumen- 7,000 Lumen (economy) In accordance with IDMS15.4 | |
| White Light Output | 10,000 Lumen - 7,000 Lumen (economy) in accordance with ISIO 21118:2012 | |
| Portrait Colour Light Output | 10,000 lm | |
| Portrait White Light Output | | |
| Resolution | WUXGA, 1920 x 1200, 16:10 | |
| High Definition | 4K enhancement | |
| Aspect Ratio | 16:10 | |
| Contrast Ratio | Over 2,500,000 : 1 | |
| Native Contrast | | |
| Light source | Laser | |
| Laser Light source | 20,000 hours Durability High, 30,000 hours Durability Eco | |
| Keystone Correction | Manual vertical: ± 45 °, Manual horizontal ± 30 ° | |
| Colour Video Processing | 10 Bits | |
| Colour Reproduction | Upto 1.07 billion colours | |
| | · | |
| OPTICAL | | |
| Throw Ratio | 0.35 - 7.41:1 | |
| Zoom | Motorized | |
| Lens | Optical | |
| Lens Shift | varies by lens | |
| Screen Size | varies by lens | |
| Projection Distance Wide Projection Distance Tele |)varies by lens)varies by lens | |
| • | | |
| Projection Distance Wide/Tele)varies by lens Projection Lens F Number varies by lens | | |
| Projection Lens Focal Length | - | |
| Projection Lens Focus | Motorized | |
| Offset | varies by lens | |
| Interchangeable Lens | Yes | |
| Standard Lens | Not included | |
| | | |
| CONNECTIVITY | | |
| Interfaces | USB 2.0 Type A (2x), USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-T | |
| | / 10 Base-T), Wireless LAN IEEE 802.11a/b/g/n (optional), VGA in, DVI in, HDBaseT, Stereo | |
| | mini jack audio out, HDMI (HDCP 2.3), 3G-SDI Input, 3G-SDI Output | |
| Network Protocol | HTTPS, IPv6, SNMP, ESC/VP.net, PJLink | |
| ADVANCED FEATURES | | |
| Security | Kensington lock, Control panel lock, Padlock, Security cable hole, Wireless LAN unit lock, | |
| | Wireless LAN security, Password protection | |
| Other features | 4K enhancement, A/V mute, Auto Power On, Auto source search, Direct Power on/off, Edge | |
| | Blending, Long light source life, OSD copy function, Power on button, Quick Corner, Schedul | |
| | Function, Super resolution, Web Control, Web Remote, iProjection App | |
| Video Color Modes | Cinema, Dynamic, Natural, Presentation, DICOM SIM, Multi Projection, BT709 | |
| Projector control | via: Crestron Integrated Partner, Extron IP Link, Extron XTP, AMX Device Discovery | |
| | | |

EB-PU2010B

WHAT'S IN THE BOX

- Remote control incl. batteries
- Power cable
- Cable cover
- Lens connector cap
- User's Manual Set
- Warranty Documents



EFSUR VISION

R

PRODUCT SPECIFICATIONS

EB-PU2010B

| GENERAL | | |
|-------------------------|---|--|
| Power consumption | 535 Watt, 452 Watt (economy), 0.5 Watt (standby) | |
| Heat Dissipation | 1,819 BTU/hour (max) | |
| Supply Voltage | AC 100 V - 240 V, 50 Hz - 60 Hz | |
| Product dimensions | 545 x 436 x 189 mm (Width x Depth x Height) | |
| Product weight | 16.8 kg | |
| Noise Level | Normal: 37 dB (A) - Economy: 30 dB (A) | |
| Supported Temperature | Storage -10° C - 60° C | |
| Supported Humidity | Operation 20% - 80%, Storage 10% - 90% | |
| | If the projector is suspended from a ceiling or wall mount and installed in an environment with heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smok or bubbles are used for event staging, or where aroma oils are frequently burned, it can make certain parts of our products susceptible to a material degradation which over time could break and cause the projector to drop from the ceiling. | |
| | If you are concerned about the environment in which your projector is installed, or if you have any other questions, please contact our support department and they can provide additional assistance. | |
| Included Software | Content DIY App, iProjection, Epson Projector Content Manager, Epson Projector | |
| | Management, Epson Projector Professional Tool | |
| Options | Wireless LAN unit | |
| Room Type / Application | Boardroom, Large Meeting Room / Auditorium, Meeting room / Classroom, Projection | |
| | Mapping, Rental / Staging, Signage / Retail, Visitor Attraction | |
| Positioning | Ceiling Mounted, Desktop, Flying Frame | |
| Colour | Black | |
| OTHER | | |
| Warranty | 36 months Carry in | |
| | Optional warranty extension available | |



OPTIONAL ACCESSORIES

- External Air Filter ELPAF63 EB-PU1000 Series V13H134AD0
- Camera Unit ELPEC01 V12HA46010
- Air Filter ELPAF46
- V13H134A46
- Adapter ELPAP11 Wireless LAN (5GHz) V12H005A01

OPTIONAL LENSES

- Lens ELPLL08 Long throw G7000/L1000 series V12H004L08
- Lens ELPLM10 Mid throw 3 G7000/L1000 series V12H004M0A
- Lens ELPLM11 Mid throw 4 G7000/L1000 series V12H004M0B
- Lens ELPLM15 Mid Throw L1500/L1700 Series V12H004M0F
- Lens ELPLU04 G7000 & L1000 Series ST off axis 2 V12H004U04
- Lens ELPLW05 G7000 & L1000 Series wide zoom 1 V12H004W05
- Lens ELPLW06 L1500U/1505U wide zoom 2 V12H004W06
- Lens ELPLW08 Wide throw V12H004W08
- Lens ELPLU03S L & G Series ST off axis 1 V12H004UA3
- Lens ELPLX02S UST lens V12H004X0B

LOGISTICS INFORMATION

| sкu | V11HA52840 |
|-------------------|---------------|
| EAN code | 8715946697437 |
| Country of Origin | Philippines |



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

EB-PU2010B

EPSON